Formula 382 FAS³Tech

AMZIM
MARINE SERVICES, LLC
1-239-228-6713
www.amzimmarineservices.com

LOA	38´2˝	11.63 m
Maximum Beam	8´3˝	2.51 m
Approximate Weight	10,450 lbs	4,740 kg
Cabin Headroom	5´1˝	1.55 m
Fuel Capacity	176 gal	666 L
Water Capacity	19 gal	72 L
Holding Tank (std./opt.)	2.6/6.5 gal	9.8/25 L
Bridge Clearance	5´6˝	1.68 m
Draft	33˝	.84 m
Draft w/700s	37˝	.94 m
Deadrise	24°	24°

382 FAS³Tech Standard Equipment

382 FAS³Tech Exterior

• NMMA Yacht/CE Certification
• Transferable 5-year Formula Guard® Limited Protection Plan w/10-year Structural Warranty (USA only)
• Ashland MaxGuard™ LE gelcoat in White
• Silver Series three-color Imron® design #1, #2 or #3 in Antigua, Bayport or Stealth
• FAS³Tech hull
• Foam-filled continuous molded structural grid
• Chemically bonded & thru-bolted deck-to-hull joint
• Heavy-duty PVC gunwale w/stainless insert
• Stainless hardware & 316L welded rails
• Stainless fuel fill
• Four Bomar® cabin venting hatches w/screens
• Tinted, tempered curved-glass windshield w/polished stainless frame
• Concealed air horn
• Clarion® waterproof transom-mounted stereo volume control
• Integrated swim platform w/concealed stainless swim ladder
• Transom shower
• Polished stainless 120V shorepower w/fail-safe galvanic isolator & 30-amp cord, cable TV, telephone inlets

382 FAS³Tech Cockpit

• Continuous molded deck & cockpit liner
• Molded fiberglass dash in Silver w/Carbon-fiber composite dash panels in black, blue, red or silver, Ritchie® 5” offshore compass, digital depth sounder, Livorsi® Oversized Mega Series backlit instrumentation w/polished stainless bezels, tilt steering wheel w/blue, red or silver accent inserts & illuminated waterproof accessory rocker switches w/E-T-A® circuit breakers
• Safety ignition tether
• Latham® external hydraulic steering
• Livorsi chromed shifters/throttles w/in-handle outdrive trim switch
• Fingertip outdrive trim override & K-plane switches w/indicators
• Clarion waterproof dash-mounted stereo control, iPod™/MP3 port & four 6½˝ JL Audio® blue LED lighted chrome-finished speakers, 600W amplification & 200W cockpit subwoofer
• Port dash locker w/vanity mirror & dual USB charging port
• Built-in trash receptacle
• Two auxiliary 12V outlets
• Polished stainless drink holders

• Blue/white LED courtesy lighting
• Integral 316L stainless safety rails
• Weather-resistant cockpit seating featuring PreFixx® coating, Tenara® element-resistant thread, DriFast® foam & Star-Lite® XL synthetic marine panel construction
• McLeod® electric-assist offshore-style bolsters
• McLeod® electric-assist footrest
• Aft lounge seating for four w/storage beneath
• Trunk w/shorepower hookup, cord storage & transom shower
• Side coaming storage
• Fire extinguisher
• Battery disconnect switches for start & aux batteries
• Battery parallel emergency switch
• Custom cockpit carpet w/sculptured FAS³Tech logo
• All-weather cockpit cover in color-coordinated non-fading Sunbrella® fabric w/SeaMark™ vinyl undercoating

382 FAS³Tech Cabin

• Sliding/locking cabin door
• Charcoal woodgrain-finish flooring throughout cabin
• Solid wood cabin entry step
• Ultraleather™ double bow berth
• Ultraleather wrap-around lounge seating/double berth w/filler cushions
• Décor pillows
• Removable Corian® cocktail table w/four polished drink holders
• Remote-control multi-color LED accent lighting
• Clarion® AM/FM/CD stereo w/iPod/USB docking station, Bluetooth & two 4″ x 10” speakers
• Subscription-ready Sirius™ Satellite Radio
• 120V/12V electrical panels
• Entertainment center w/polished stainless sink, Corian countertop, demand water system, 120V/12V refrigerator & concealed trash receptacle
• 19” LCD HDTV/DVD combo player w/concealed antenna & dockside access cord for cable TV
• Private head compartment w/dockside pumpout & exhaust fan
• Carbon monoxide detector

382 FAS³Tech Engine Room

• Twin engine installation w/thru-bolted race-style engine mounts
• Motorized hatch lift
• Courtesy lighting, fume detector & automatic fire extinguisher
• Engine freshwater flush system
• Two marine batteries w/retainers & 60-amp battery charger
• Galvanic corrosion protection systems
• Bilge blowers, automatic bilge pumps & high water alarm
• Mercury Racing K-Planes®
• Forward mounted trim & tab pumps
• External stainless tie bar
• Stainless props
• CORSA™ polished stainless exhaust system w/silencer tips

382 FAS³Tech Available Equipment

382 FAS³Tech Exterior

• Gold Series four-color Imron design #1, #2 or #3 in Antigua, Bayport or Stealth
• Platinum Series Imron design in “Cyber Fire” (w/carbon fiber vent caps), “Stiletto” or “Missile”

• Stainless LED bow docking lights
• Three blue LED underwater lights

382 FAS³Tech Cockpit

• Polished aluminum step pads & hand rails
• VHF radio w/antenna
• Garmin® 547 GPS color chartplotter
• Raymarine® e7D GPS color chartplotter w/depth sounder
• Bimini top in color-coordinating non-fading Sunbrella fabric w/SeaMark vinyl undercoating
• Front & side curtains w/easy-mount zippers & aft cockpit enclosure in color-coordinated non-fading Sunbrella fabric w/ SeaMark vinyl undercoating

382 FAS³Tech Cabin

• 8,000 BTU reverse cycle air conditioner w/digital climate control
• VacuFlush® head unit w/six-gallon holding tank & dockside pumpout
• VacuFlush® head unit w/six-gallon holding tank & macerator w/Y-valve for discharge or dockside pumpout

382 FAS³Tech Engine Room

• Mercury® SeaCore™ saltwater protection system
• 5.0KW/120V Kohler® low-CO emissions gas generator
• Captain's Call™ thru-transom exhaust w/diverters (Merc 8.2s only)
• Mercury X-haust Noise Reduction System (available w/Merc Racing & Ilmor V-10 engines)

• 5 KW/120V Kohler® low-CO emissions gas generator (opt.)
• 8,000 BTU reverse cycle air conditioner w/digital climate control (opt.)

Available Engines	H.P.	Liter	Top Speed	• Prop Code
Merc T-8.2 MAG HO ECT Bravo I X	T-430	T-8.2	62-65 MPH	T-4B 26 Lab ‡
Merc T-520 Bravo I XR DTS	T-520	T-8.6	TBD	TBD
Merc T-520 ITS Bravo I XR DTS	T-520	T-8.6	TBD	TBD
Merc T-540 Bravo I XR DTS	T-540	T-8.6	TBD	TBD
Merc T-540 ITS Bravo I XR DTS	T-540	T-8.6	TBD	TBD
Merc T-565 Bravo I XR DTS	T-565	T-8.7	TBD	TBD
Merc T-565 ITS Bravo I XR DTS	T-565	T-8.7	TBD	TBD
Ilmor T-MV8 570X IMCO SCX Extreme Advantage Drive	T-570	T7.4L	TBD	TBD
Merc T-600 SCi Bravo I XR	T-600	T-8.2	78-81 MPH	T-5B 28 ‡
Merc T-600 SCi ITS Bravo I XR	T-600	T-8.2	79-82 MPH	T-5B 29 Lab ‡
Merc T-700 SCi NXT® SSM	T-700	T-8.2	90-93 MPH	T-5B 17˝ x 33˝ CNC Lab ‡
Ilmor T-MV10 725 INDY®	T-725	T-8.4	90-93 MPH	T-5B 17˝ x 30˝ CNC Lab ‡

‡ Designates counter-rotating props (single-prop drives)

Range

Merc Twin 525 ITS EFI Bravo I XR

RPM	MPH	GAL/HR	RANGE
1500	8	11	116
2000	11	19	92
2500	16	30	85
3000	28	35	126
3500	39	41	151
4000	49	51	153
4500	**66**	**66**	**159**
5000	73	82	141
5150	76	88	137